11/11/11
03:08 PM EST

STELfax

From: THYSSENKRUPP MATERIALS NA
STAN IVERS
Tel: 905 669 9444
Fax: 9057389033

To: DART AEROSPACE
Attn: 96294
Tel: 613-632-9577
Fax: 613-632-1053
Number of Pages: 3

Subject: **Sales Acknowledgement**

11Nov11 15:07 S A L E S A C K N O W L E D G M E N T No: PEC ST-388975

Sold By:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905/389033

Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Trm NET 30 DAYS/NET 30 JOURS
Frt PREPAID
Con 96294
Slp STAN IVERS (905-532-1350)

Ord 11Nov11 Due17Nov11
Via VIM TRANSFER FOB CONCORD
PO/Rel 15445
Tel 613-632-9577 Fax 613-632-1053

S A L E S A C K N O W L E D G M E N T SO No PEC ST-388975

Test Certs: Chem Y Phys Y 1 Original copies with Shipment, 1 with Invoice

1	STAINLESS STEEL SHEET 304-2B .0600 Nom X 48.0000" X 96.0000" MATERIAL	802 LBS @	10 PCS 1.8300 LBS	802 LBS 1,467.66	
2	ALUMINUM SQUARE BAR 6061-T6511 .750" X 144.0000" MATERIAL	1 PCS @	1 PCS 25.0000 EA	8 LBS 25.00	
3	ALUMINUM FLAT BAR 6061-T6511 .750" x 2.00" X 144.0000" MATERIAL	12 FT @	1 PCS 3.8500 FT	22 LBS 12 FT 46.20	
4	ALUMINUM FLAT BAR 6061-T6511 .125" x .750" X 240.0000" MATERIAL		4 PCS 25.0000 LOT	9 LBS 25.00	
5	ALUMINUM ROUND BAR 6061-T6511 .625" DIA X 144.0000" MATERIAL	36 FT @	3 PCS .9200 FT	14 LBS 36 FT 33.12	
6	ALUMINUM ROUND BAR 6061-T6511 .750" DIA X 144.0000" MATERIAL	24 FT @	2 PCS 1.1900 FT	13 LBS 24 FT 28.56	

SHIP WITH 388968/388969 SUR-CHARGE PAID

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.
ATTN: CHANTAL/LINDA
** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **
** CUSTOMER PICK-UP HRS / 9:00 AM TO 4:00 PM **
*** TEL. 800-926-2600 ***
****
* WE STOCK STAINLESS STEEL!!!! *
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

Page: 1 ....Continued

11Nov11 15:07 S A L E S A C K N O W L E D G M E N T No: PEC ST-388975

Sold By:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

S A L E S A C K N O W L E D G M E N T SO No PEC ST-388975

Test Certs: Chem Y Phys Y 1 Original copies with Shipment, 1 with Invoice

****

***PLEASE NOTE A $25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Order Totals: 6 Items 868 LBS

Material	Processing	Freight	Other	Taxes	ORDER AMT
1,625.54				211.33	1,836.87

Taxes: ONHSTS 211.33

THYSSENKRUPP MATERIALS NA

DART AEROSPACE
STAINLESS STEEL SHEET 304-2B
.0600 Nom X 48.0000" X 96.0000"
PART NO.

PO/Rel 15445
We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-739334-001
17Nov11
Pg 1/1

Signed by:

運鍚鋼鐵股份有限公司
YUEN CHANG STAINLESS STEEL CO., LTD.

檢驗證明書
INSPECTION CERTIFICATE

列印日期(ISSUE DATE): 2011/08/08

高雄市前金區中正四路 235 號 13F
13-F, No. 235, Jungjeng, 4th Road
Chianjin Chiu, Kaohsiung, Taiwan.

客戶名稱 Customer: Global Stainless Steel Inc.
1150 Meyerside Drive Mississauga,
Ontario Canada, L5T 1J4

項目 Item	鋼捲編號 Coil No.	爐號 Heat No.	鋼種 Steel Grade	表面 Finish	產品尺寸 Thickness x Width x Length	淨重(KG) Net Weight
1	KA10331950E20	A2101089	304	2B	11GA x 48" x 96"	1,252
2	H0710	A2762-1030	304	2B	12GA x 48" x 96"	1,214
3	QGP1320A-1	SC33727	304	2B	16GA x 48" x 96"	1,250
4	QGP1320A-2	SC33727	304	2B	16GA x 48" x 96"	1,250
5	H3590	B9691-1020	304	2B	18GA x 48" x 96"	1,106
6	KA10367270N20-1	A2101199	304	NO.4	11GA x 48" x 96"	1,242
7	KA10367270N20-2	A2101199	304	NO.4	11GA x 48" x 120"	1,216

項目 Item	化學成份 Chemical Composition (%)										機械性質 Mechanical Properties				
	C	Si	Mn	P	S	Cr	Ni	N			抗拉強度 T.S N/MM²	降伏強度 Y.S(0.2%) N/MM²	伸長率 Elong (%)	硬度 Hardness HRB	硬度 Hardness HV
1	0.050	0.410	1.200	0.035	0.002	18.400	8.100	0.060			637	314	65.0	86.0	-
2	0.043	0.470	1.161	0.030	0.006	18.101	8.134	0.057			616	256	56.5	82.3	-
3	0.052	0.340	1.010	0.026	0.007	18.100	8.040	-			653	275	56.0	-	159.1
4	0.052	0.340	1.010	0.026	0.007	18.100	8.040	-			653	275	56.0	-	159.1
5	0.044	0.402	1.181	0.034	0.006	18.108	8.108	0.052			633	290	53.0	82.7	-
6	0.040	0.370	1.060	0.040	0.002	18.100	8.000	0.030			680	336	55.5	86.5	-
7	0.040	0.370	1.060	0.040	0.002	18.100	8.000	0.030			680	336	55.5	86.5	-

茲證明本表所列產品，均依材料規格製造及試驗，並符合規格之要求。
We hereby certify that the products described herein have been manufactured and tested with Satisfactory results in accordance with the requirement of the above material specification.
本產品無輻射污染，並且不含汞。
The material described above is free irradiation and free mercury.
All the above products conform to the requirements specified in ASTM A240/A480.

PO No.:82413
Shipment No.:4775

THE CO. LTD.
YUEN CHANG STAINLESS STEEL CO., LTD.

Authorized Signature(s)

Doc No. 118545 Indexed 23Sep11 by sissup1

THYSSENKRUPP MATERIALS NA

DART AEROSPACE
ALUMINUM FLAT BAR 6061-T6511
.750" x 2.00" X 144.0000"
PART NO.

PO/Rel 15445

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Certificate of Mill Test Results

BL PEC-739334-003

17Nov11
Pg 1/1

SERVICE CENTER METALS
5850 Quality Way
Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

OUR ORDER NUMBER	ITEM
135938	2

BILL TO: ThyssenKrupp Materials NA

SHIP TO: ThyssenKrupp Materials NA PEC

Quantity Certified 1,058 lbs 50 pcs

MANIFEST NUMBER: 141340

CUSTOMER PO: PEC-233244

CUSTOMER PART NUMBER: RB0115

DIE NUMBER: RB0115

ALLOY / TEMPER: 6061-T6511

DESCRIPTION: SCRB .750x2.000

DATE OF SHIPMENT: 9/30/2011

SALESPERSON: David Schroeder

CERTIFICATION: ASTM-B221-08 StencilContinuous

SPECIFICATION: AMS-QQA-200/8

***We hereby certify** that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. SCM extrusions are manufactured in the USA from ingot melted and cast in the United States or Canada.*

Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6

Mechanical Properties

Test No.	Lot No.	Test Date	Ultimate Tensile Strength (KSI)	Yield Strength (KSI)	Percent Elongation
1	201114759	09/24/11	52.3	48.9	12.7

Chemical Composition for Aluminum Alloy 6061

Cast Number	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Others Each	Others Total	Melted In
091115	6061	0.76	0.35	0.34	0.10	0.91	0.08	0.06	0.01	0.05 max	0.15 max	United States of America

Print Date: 9/30/2011

Calvin J. Wiggins, Director of Quality & Technical Services

Rev. 9/06/07 - UMS

Doc No. 118878 Indexed 4Oct11 by slssup1

THYSSENKRUPP MATERIALS NA

DART AEROSPACE
ALUMINUM ROUND BAR 6061-T6511
.625" DIA X 144.0000"
PART NO.

PO/Rel 15445

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Certificate of Mill Test Results

BL PEC-739334-005

17Nov11
Pg 1/1

SERVICE CENTER METALS
5850 Quality Way
Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

OUR ORDER NUMBER	ITEM
130370	6

BILL TO: ThyssenKrupp Materials NA	MANIFEST NUMBER: 134675	DIE NUMBER: RD0002	DATE OF SHIPMENT: 6/29/2011
SHIP TO: ThyssenKrupp Materials NA VIM	CUSTOMER PO: VIM-610896	ALLOY / TEMPER: 6061-T6511	SALESPERSON: David Schroeder
Quantity Certified 1,712 lbs 395pcs	CUSTOMER PART NUMBER: RD0002	DESCRIPTION: ROD .625 +/-.005	

CERTIFICATION: ASTM-B221-08 No Stencil

SPECIFICATION: AMS-QQA-200/8

We hereby certify *that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. SCM extrusions are manufactured in the USA from ingot melted and cast in the United States or Canada.*

Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6

Mechanical Properties

Test No.	Lot No.	Test Date	Ultimate Tensile Strength (KSI)	Yield Strength (KSI)	Percent Elongation
1	201110397	06/28/11	50.0	47.1	19.4
2	201110397	06/28/11	49.4	46.3	20.2
3	201110397	06/28/11	49.8	46.8	19.2
4	201110397	06/28/11	47.5	44.2	20.6
5	201110397	06/28/11	48.9	45.8	19.2
6	201110397	06/28/11	48.6	45.4	19.5
7	201110397	06/28/11	51.8	49.0	17.5
8	201110397	06/28/11	50.0	47.2	18.1
9	201110397	06/28/11	50.1	47.1	18.8
10	201110397	06/28/11	49.4	46.6	18.4

THYSSEN KRUPP QCT

Chemical Composition for Aluminum Alloy 6061

Cast Number	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti
061213	6061	0.71	0.39	0.31	0.10	0.87	0.08	0.04	0.02

Melted In
United States of America

Rev. 9/06/07 - UMS

Print Date: 6/29/2011

Calvin J. Wiggins, Director of Quality & Technical Services

Doc No. 113675 Indexed 5Jul11 by vslssup2

THYSSENKRUPP MATERIALS NA

DART AEROSPACE
ALUMINUM SQUARE BAR 6061-T6511
.750" X 144.0000"
PART NO.

PO/Rel 15445
We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

Signed by: _____ BL PEC-739334-002

17Nov11
Pg 1/2

SCM

SERVICE CENTER METALS
5850 Quality Way
Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

OUR ORDER NUMBER	ITEM
131567	4

BILL TO
ThyssenKrupp Materials NA

SHIP TO
ThyssenKrupp Materials NA PEC

Quantity Certified 1,269 lbs 160pcs

MANIFEST NUMBER: 135602
CUSTOMER PO: PEC-231378
CUSTOMER PART NUMBER: SQ0039

DIE NUMBER: SQ0039
ALLOY / TEMPER: 6061-T6511
DESCRIPTION: SCSB .750

DATE OF SHIPMENT: 7/15/2011
SALESPERSON: David Schroeder

CERTIFICATION: ASTM-B221-08 StencilContinuous
SPECIFICATION: AMS-QQA-200/8

We hereby certify *that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. SCM extrusions are manufactured in the USA from ingot melted and cast in the United States or Canada.*

Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6

Mechanical Properties

Test No.	Lot No.	Test Date	Ultimate Tensile Strength (KSI)	Yield Strength (KSI)	Percent Elongation
1	201110805	07/14/11	55.0	51.8	16.7
2	201110805	07/14/11	55.3	52.1	16.0
3	201110805	07/14/11	54.2	50.8	17.5
4	201110805	07/14/11	54.6	51.3	16.0
5	201110805	07/14/11	56.4	53.4	16.5
6	201110805	07/14/11	54.2	50.8	16.4
7	201110805	07/14/11	55.5	52.3	16.5
8	201110805	07/14/11	55.5	52.5	14.4
9	201110805	07/14/11	54.9	51.8	15.6
10	201110805	07/14/11	55.3	52.1	15.0
11	201110805	07/14/11	53.2	50.0	16.2

Rev. 9/06/07 - UMS

Print Date: 7/15/2011

Calvin J. Wiggins, Director of Quality & Technical Services

Doc No. 114788 Indexed 21Jul11 by slssup1

SERVICE CENTER METALS
5850 Quality Way
Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

BILL TO
ThyssenKrupp Materials NA

SHIP TO
ThyssenKrupp Materials NA PEC

Quantity Certified 1,269 lbs 160pcs

MANIFEST NUMBER 135602
CUSTOMER PO PEC-231378
CUSTOMER PART NUMBER SQ0039

DIE NUMBER SQ0039
ALLOY / TEMPER 6061-T6511
DESCRIPTION SCSB .750

DATE OF SHIPMENT 7/15/2011
SALESPERSON David Schroeder

OUR ORDER NUMBER	ITEM
131567	4

CERTIFICATION ASTM-B221-08 StencilContinuous
SPECIFICATION AMS-QQA-200/8

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. SCM extrusions are manufactured in the USA from ingot melted and cast in the United States or Canada.

Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6

Chemical Composition for Aluminum Alloy 6061

Cast Number	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Melted In
020315	6061	0.76	0.39	0.34	0.10	0.86	0.09	0.04	0.02	United States of America
052917	6061	0.73	0.39	0.31	0.12	0.87	0.08	0.06	0.02	

v. 9/06/07 - UMS

Print Date: 7/15/2011

Calvin J. Wiggins, Director of Quality & Technical Services

CAN ART
ALUMINUM EXTRUSION INC.

Material Test Report

Manifest: 233573

Ship To: ThyssenKrupp Materials NA
2821 Langstaff Road
Concord, ON L4K 5C6

Ticket:
5206899

Our Order: 378915 - 3 Cust P.O.: 232133 -3
Die: ES05485 Part: 05485-000-240
Alloy Temper: 6061 T6511 Description: .125 x .750
Print Date: 8/12/11

Chemical Composition Range

6061	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OtherEach	OtherTotal
Min	0.40		0.15		0.8	0.04				
Max	0.8	0.7	0.40	0.15	1.2	0.35	0.25	0.15	0.05	0.15

Mechanical Properties

Strength ksi

Sample ID	Cast #	Lot #	Test Date	Ultimate Tensile	Yield 2% offset	Elongation 2" gage length
126396	11050023A	A11	8/11/11	43.62	41.32	10.1

Applicable Specifications ASTMB221-08 QQA200/8
Country of Origin: 85 Parkshore Drive, Brampton, Ontario CANADA L6T 5M1

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Ray Hussain - Tensile Testing
Authorized:

Evan Eng, Quality Assurance Mgr.

KAISER ALUMINUM
FABRICATED PRODUCTS

CERTIFIED TEST REPORT

http://Certs.KaiserAluminum.com

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CUSTOMER PO NUMBER:	CUSTOMER PART NUMBER:	PRODUCT DESCRIPTION:
PEC-232331-6	015238-9	KAISERSELECT PRECISION ROD .750 +/-.004

KAISER ORDER NUMBER:	LINE ITEM:	SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:
601377	006	09/09/2011	P0.750030	6061	T6511B
WEIGHT SHIPPED:	**QUANTITY:**	**B/L NUMBER:**	**DIAM/DAF/THKNS:**	**WIDTH:**	**LENGTH:**
1515.000 LB	243.000 PCS	601380			12.000 FT

SHIP TO:	SOLD TO:
THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA	THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Alex Yeh, Quality & Technology Manager

Plant Serial: 00006697
Kaiser Order Number: 601377
Line Item: 006

KAISER ALUMINUM
FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT
http://Certs.KaiserAluminum.com

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS		CONDUCT.	BEND
XTR000901	0001	0001	47.0	42.8	19.2	RE	95	N/A	N/A
XTR000901	0001	0002	46.6	42.4	17.4	RE	94	N/A	N/A
XTR000901	0001	0003	45.6	40.3	20.1	RE	93	N/A	N/A
XTR000901	0001	0004	51.0	47.6	17.2	RE	98	N/A	N/A
XTR000901	0001	0005	48.0	43.1	18.2	RE	95	N/A	N/A
XTR000901	0001	0006	49.0	43.2	16.0	RE	98	N/A	N/A
XTR000901	0001	0007	48.1	44.0	18.1	RE	98	N/A	N/A
XTR000901	0001	0008	49.6	44.9	19.9	RE	98	N/A	N/A
XTR000901	0001	0009	49.6	46.1	20.6	RE	98	N/A	N/A
XTR000901	0001	0010	49.9	46.8	17.5	RE	98	N/A	N/A
XTR000901	0001	0011	46.7	42.0	17.6	RE	95	N/A	N/A
XTR000901	0001	0012	48.1	44.4	18.1	RE	92	N/A	N/A
XTR000901	0001	0013	47.6	42.2	18.2	RE	92	N/A	N/A
XTR000901	0001	0014	51.2	47.2	15.7	RE	94	N/A	N/A
XTR000901	0001	0015	46.1	41.5	20.5	RE	91	N/A	N/A
XTR000901	0001	0016	48.0	43.5	20.1	RE	93	N/A	N/A
XTR000901	0001	0017	48.5	43.1	17.0	RE	92	N/A	N/A
XTR000901	0001	0018	48.9	43.9	19.2	RE	92	N/A	N/A
XTR000901	0001	0019	47.0	41.7	17.9	RE	92	N/A	N/A
XTR000901	0001	0020	47.7	42.6	17.6	RE	92	N/A	N/A
XTR000901	0001	0021	48.1	43.3	17.7	RE	93	N/A	N/A
XTR000901	0001	0022	45.7	41.4	18.2	RE	91	N/A	N/A
XTR000901	0001	0023	50.4	46.1	18.0	RE	94	N/A	N/A
XTR000901	0001	0024	48.4	44.5	15.6	RE	92	N/A	N/A
XTR000901	0001	0025	47.2	41.7	18.9	RE	90	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
A31756	.73	.29	.26	.10	.93	.10	.02	.02	.00	.00	.00	.01	.01
A31751	.72	.28	.32	.10	.92	.09	.05	.02	.00	.01	.00	.00	.01

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Alex Yeh, Quality & Technology Manager

Plant Serial: 00006697
Kaiser Order Number: 601377
Line Item: 006

KAISER ALUMINUM
FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

http://Certs.KaiserAluminum.com

Applicable Requirements:

PER ASTM-B221-08, STENCILED ASME-SB221 1998 SECT II PER AMS-QQ-A-200/8 UNS#6061 MEETS ALL SPECIFICATION REQUIREMENTS FOR 6061-T6511/T6 ELEVATED MINIMUM MECHANICAL PROPERTIES AS FOLLOWS: UTS = 42.0 KSI MIN YIELD = 38.0 KSI MIN ELONGATION = 10.0% MIN

Miscellaneous Notes

MANUFACTURED IN USA (COMMERCE,CA) MELTED IN USA

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Alex Yeh, Quality & Technology Manager

Plant Serial: 0C006697
Kaiser Order Number: 601377
Line Item: 006